### Response to Pre-bid queries

| S.No | Organization                   | Chapter No   | Page<br>No | Clause as per RFP   | Clarification Sought  | Pre-Bid Query<br>Response            |
|------|--------------------------------|--|------------|---|---|--------------------------------------|
| 1    | VSN International<br>Pvt. Ltd. | CHAPTER-VI<br>Eligibility and Bid<br>Evaluation, 6.2.2 | 50         | The Bidder should have Supplied, Commissioned and Maintained minimum quantity of 11,000 nos. of Tablets/Laptops in India or Globally in single project/work order in any Govt. department/ institutes in the last five years executed as on date of submission of bid.  | As per the clause you have asked for experience in supplying 11,000 No.s of Tablet/Laptop in a single order in any Govt. Department or institutes which is very specific. This is very big quantity asked in a single order on which most of the bidder will not qualify. We would request to amend the clause to "1100 Nos. of learning devices/ Laptop/Desktops in a single order for Govt. Departments/ Institutions or Private Organization/ Institutions in the last five years executed as on date of submission of bid." | No Change in<br>Tender<br>Conditions |
| 2    | SRIT India Pvt Ltd             | 4.11   | 20         | Earnest Money Deposit (EMD) The bidder should enclose EMD of Rs. 19,00,000/- (Rupees Nineteen Lakhs only) in the form of Demand Draft drawn in favour of EdCIL (India) Limited and payable at NOIDA from any Nationalised bank valid for 90 days from submission of bid. In case EMD is submitted in the form of BG, the BG should be valid beyond 90 days after the bid validity date and should be as per the Annexure. Bidders registered with MSME and having valid registration certificate issued by NSIC/MSME are exempted for submission of EMD. However, MSMEs are advised to submit their financial solvency certificate issued not earlier than 3 months from the last date of bid submission. The Bid sent without EMD will be considered as UNRESPONSIVE and will not be considered. | As per the GFR notification no. F.9/4/2020-PPD dated: 12-Nov-2020, we request you to kindly exclude the EMD.  | No Change in<br>Tender<br>Conditions |

| 3 | SRIT India Pvt Ltd | 5.1, 5.8 | 23, 24 | 5.1 EdCIL (India) Limited has been entrusted by the Ministry of Education, Tertiary Education, Science and Technology (MoETEST), Republic of Mauritius for implementation of the Early Digital Learning Programme (EDLP) Project in all grades of primary schools of Mauritius. The EDLP Programme has been successfully implemented for Grades 1 to 4. Further the programme has to be implemented for Grades5 and 6.  5.8 The price quoted by the bidder shall be valid for three (3) years from the date of placement of the first work order.  | As per clause 5.7, there would be difference between first and second order, we would like to know the duration in days between these two orders as the price would keep changing.  | Refer Tender<br>Document             |
|---|--------------------|----------|--------|--|---|--------------------------------------|
| 4 | SRIT India Pvt Ltd | 5.22     | 31     | Four service centres, one in each educational zone of Republic of Mauritius are already operational for the EDLP project under the supervision of EdCIL. Each centre has its own contact number and email ID. The successful bidder may liaise with these centres to take their services for higher grades for scope of works mentioned in this RFP considering the simplicity of operations.  Moreover, any changes in email IDs or contact numbers as suggested by EdCIL during the contract period will have to be followed by the successful bidder. However, it is responsibility of the successful bidder to do liaising with the existing service provider. | Request to change to one centralized location. As Mauritius is a small country and the cost involved is huge while calculating for (3) years in maintaining the (4) Service centres in (4) different zones. It will also ease the operational burden.  It is worth to mention that, post COVID-19 sceanrio, the costs have soared a lot mainly in the property sector of the mauritius. Thus the increase is 3-4 folds compared to Pre-Covid scenario. And while it is calculated for (3) years. the cost will be on the higher side. | No Change in<br>Tender<br>Conditions |
| 5 | SRIT India Pvt Ltd | 5.26     | 32     | The service centres should be equipped with CCTV, telephone, internet, sign boards, desktop/laptop, printer and any other essential items required for proper functioning of the centres. The access to the CCTVs should be provided to EdCIL for live monitoring and reviewing any past incidents.  | The recurring cost involved in the facilities like internet, mobile etc. And in a country like Mauritius, those facilities are very costly. Hence, request you to waive off to (1) central location.  | No Change in<br>Tender<br>Conditions |
| 6 | SRIT India Pvt Ltd | 7.1      | 53     | Duration & Timeline: The successful bidder has to complete the task within stipulated time of 3 Months from the date of issuance of LOI/LOA, unless terminated earlier in accordance with the provision of the signed agreement.   | Due to Covid scenario the Import and Export of goods have become challenging.  We request to increase the "Pre-Dispatch Inspection" to T+6 weeks and Delivery Timelines to (20) weeks.  | No Change in<br>Tender<br>Conditions |

| 7 | SRIT India Pvt Ltd | 7.2 | 53 | 1. Payment shall be released after Satisfactory Pre Dispatch Inspection of equipment by PDI Committee and submission of signed and stamped inspection report to EdCIL as per the entire satisfaction of the client. Payment will be made if items are found in good condition as per term and conditions mentioned in the RFP. The bidder should submit the following documents to the EdCIL for the payment:  2 Copies of the tax invoice showing contract number, goods description, quantity unit price, total amount.  PDI Certificate issued by the nominated inspection committee (signed and stamped) as applicable.  Valid document as proof of dispatch of materials to Mauritius.  Payment % of the Contract Value: 20% | We request to change the payment against successful PDI as 40%.          | No Change in<br>Tender<br>Conditions |
|---|--------------------|-----|----|---|--|--------------------------------------|
| 8 | SRIT India Pvt Ltd | 7.2 | 54 | Payment shall be released after successful commissioning and handing over of all hardware items at school level in Mauritius. The bidder should submit the following documents to the EdCIL for the payment:  Commissioning report signed and stamped from EdCIL and MoETEST as applicable. (The part payment against commissioning can be done in accordance to the progress)  Payment % of the Contract Value: 40%  | We request to change the payment against successful Commissioning as 20% | No Change in<br>Tender<br>Conditions |

| 9  | SRIT India Pvt Ltd                    | Annexure - XVIII | 102 | Learner Device Specification Compliance 36. Project Logo  1. Non-Scratchable Project LOGO/Information on the back-side of the Tablet. 2. Project LOGO/Information on the Boot Screen on starting of the Tablet.  PROTECTIVE CASE: 1. ProjectLOGO/Information should be embossed on one side of the Protective Case. 2. ProjectLOGO/Information should be printed on other side of the Protective Case.  KEYBOARD: 1. Non-scratchable LOGO/Information printing on the Keyboard  HEADSET: 1. Non-scratchable Project LOGO/Information should be printed on the Ear pots. | Request to remove "Project LOGO/Information on the Boot Screen on starting of the Tablet"   | No Change in<br>Tender<br>Conditions |
|----|---------------------------------------|------------------|-----|---|---|--------------------------------------|
| 10 | KELLTON TECH<br>SOLUTIONS<br>SLIMITED | Technical Bid    | 6   | Last Date and Time for receipts of Bids   | Request to extend the bid submission by 14 days after released of pre-bid queries   | Refer<br>Corrigendum                 |
| 11 | KELLTON TECH<br>SOLUTIONS<br>SLIMITED | Technical Bid    | 7   | Earnest Money Deposit Rs. 19,00,000/- (Nineteen Lakhs Only) in form of Bank Guarantee from a Nationalised Bank/ Demand Draft. Scanned copy to be uploaded with tender documents and original BG/ DD has to be submitted along with documents as per the Instructions to bidders.  In case EMD is submitted in the form of BG, the BG should be valid beyond 90 days after the bid validity date and should be as per Annexure-X   | Considering the difficulties faced by the bidders and to facilitate competition in wake of slowdown of the economy due to Covid-19 pandemic, it is hereby decided as per Finance Department notification no 8943 dated 18/03/2021 that no provisions regarding Bid Security / EMD should be kept in the Bid Documents and only provision for "Bid Security Declaration" should be kept.  Hence, we humbly request to accept bid security declaration in place of EMD. | No Change in<br>Tender<br>Conditions |

| 12 | KELLTON TECH<br>SOLUTIONS<br>SLIMITED | Technical Bid | 23 | 4.14 Performance Security i. The successful bidder should be required to deposit Performance Bank Guarantee equivalent to 3% of contract value to EdCIL within 2 weeks from the date of receipt of Work Order. The Performance Bank Guarantee (PBG) should be issued by a Nationalised bank in favor of "EdCIL (India) Limited" to be valid for a period of 90 days beyond the date of completion of Contract period. This Performance Bank Guarantee should be retained throughout the currency of the contract and should be extended by the bidder from time to time, as required by EdCIL. | Since, supply & commissioning of Hardware shall be completed within 3 months. Hence, we request to amend as following  During Hardware Supply Period: PBG should be equal to 3% of "Hardware Cost", after supply and implementation of the Project this BG shall be released and New BG shall be submitted for warranty and AMC Period equivalent to 3% of Annual Maintenance Cost which will be renewed on yearly basis. | No Change in<br>Tender<br>Conditions |
|----|---------------------------------------|---------------|----|--|---|--------------------------------------|
| 13 | KELLTON TECH<br>SOLUTIONS<br>SLIMITED | Technical Bid | 28 | 5.13 Insurance iii. The successful bidder shall be responsible for acquiring comprehensive insurance including transit insurance, liability insurance and any other insurance for all the buffer equipment till the hardware devices are handed over to primary schools of Mauritius on account of replacement.  | Since, export will be done by M/s EdCIL to MoEHR, hence as per statutory guidelines either M/s EdCIL or MoEHR can take insurance only.  Also, it is requested in case of any incidence during transit, SLA shall not be imposed on the selected bidder and M/s EdCIL will provide full support for the settlement of any claim.   | No Change in<br>Tender<br>Conditions |
| 14 | KELLTON TECH<br>SOLUTIONS<br>SLIMITED | Technical Bid | 54 | 7.1 Duration & Timeline:   | We request to extend Delivery of Hardware from 8 weeks to 15 weeks. We request to extend commissioning of Hardware from 12 weeks to 20 weeks.   | No Change in<br>Tender<br>Conditions |
| 15 | KELLTON TECH<br>SOLUTIONS<br>SLIMITED | Technical Bid | 50 | Criteria 2 The Bidder/OEM should have Supplied, Commissioned and Maintained minimum quantity of 30,000 nos. of Tablets/Laptops in India or Globally in any Govt. department/ institutes in the last five years executed as on date of submission of bid. And The Bidder should have Supplied, Commissioned and Maintained minimum quantity of 11,000 nos. of Tablets/Laptops in India or Globally in single project/work order in any Govt. department/ institutes in the last five years executed as on date of submission of bid.  | Request to consider the project implemented in last 5 Financial Years.  | Refer<br>Corrigendum                 |

| 16 | KELLTON TECH<br>SOLUTIONS<br>SLIMITED              | Technical Bid | 51 | 6.2 Pre-Qualification Criteria Criteria 4 - The bidder should possess ISO 9001, ISO 20000, ISO 27001 as on the date of submission of bid.   | Request to remove the criteria of ISO 20000, this will allow wide participations.                       | Refer<br>Corrigendum.                |
|----|--|---------------|----|---|---|--------------------------------------|
| 17 | KELLTON TECH<br>SOLUTIONS<br>SLIMITED              | Technical Bid | 51 | <ul> <li>6.2 Pre-Qualification Criteria</li> <li>Criteria 6: Mandatory Undertaking As on Date, the bidder should:</li> <li>Not be insolvent</li> <li>Not have been convicted of any criminal offence.</li> <li>Not Have been blacklisted by any Central Government/ State Government/PSU/Government Bodies/Autonomous Bodies/Private Sector</li> </ul>  | Request to consider either on Non-Judicial Stamp paper or Letter Head of Company.                       | No Change in<br>Tender<br>Conditions |
| 18 | KELLTON TECH<br>SOLUTIONS<br>SLIMITED              | Technical Bid | 52 | 6.2 Pre-Qualification Criteria Criteria 8:The Authorized Signatory signing the Bid on behalf of the Bidder - should have the Power of Attorney duly authorized by the Board of Directors to sign the Bid.   | Request to consider either Power of Attorney or Board<br>Resolution towards Authorization               | Refer<br>Corrigendum.                |
| 19 | AKSHARA<br>ENTERPRISES<br>INDIA PRIVATE<br>LIMITED | 4.11          | 20 | Earnest Money Deposit (EMD) The bidder should enclose EMD of Rs. 19,00,000/- (Rupees Nineteen Lakhs only) in the form of Demand Draft drawn in favour of EdCIL (India) Limited and payable at NOIDA from any Nationalised bank valid for 90 days from submission of bid. In case EMD is submitted in the form of BG, the BG should be valid beyond 90 days after the bid validity date and should be as per the Annexure. Bidders registered with MSME and having valid registration certificate issued by NSIC/MSME are exempted for submission of EMD. However, MSMEs are advised to submit their financial solvency certificate issued not earlier than 3 months from the last date of bid submission. The Bid sent without EMD will be considered as UNRESPONSIVE and will not be considered. | Request to exempt from EMD as per the GFR guidelines Ref. No. GFR No. F.9/4/2020-PPD dated: 12-Nov-2020 | No Change in<br>Tender<br>Conditions |

| 20 | AKSHARA<br>ENTERPRISES<br>INDIA PRIVATE<br>LIMITED | 4.14     | 22     | i. The successful bidder should be required to deposit Performance Bank Guarantee equivalent to 3% of contract value to EdCIL within 2 weeks from the date of receipt of Work Order. The Performance Bank Guarantee (PBG) should be issued by a Nationalised bank in favor of "EdCIL (India) Limited" to be valid for a period of 90 days beyond the date of completion of Contract period. This Performance Bank Guarantee should be retained throughout the currency of the contract and should be extended by the bidder from time to time, as required by EdCIL. | <ul> <li>a. Request to consider the PBG for the Contract value only for 1st year.</li> <li>b. Request to return the PBG of 1st year, after successful completion. And allow the successful bidder to submit fresh PBG @ 3% for the value on the AMC charges for 2nd &amp; 3rd years. Which shall be returned after successful completion of the 3rd year.</li> </ul>                                   | No Change in<br>Tender<br>Conditions |
|----|--|----------|--------|--|--|--------------------------------------|
| 21 | AKSHARA<br>ENTERPRISES<br>INDIA PRIVATE<br>LIMITED | 5.1, 5.8 | 23, 24 | 5.1 EdCIL (India) Limited has been entrusted by the Ministry of Education, Tertiary Education, Science and Technology (MoETEST), Republic of Mauritius for implementation of the Early Digital Learning Programme (EDLP) Project in all grades of primary schools of Mauritius. The EDLP Programme has been successfully implemented for Grades 1 to 4. Further the programme has to be implemented for Grades 5 and 6.  5.8 The price quoted by the bidder shall be valid for three (3) years from the date of placement of the first work order.                   | It is understood that the given price should be valid for (3) years. However, for a better calculation of the optimal pricing, we request you clarify the time taken for placing the second order as per clause 5.7.  Due to the current CHINA COVID-19 scenario and recession in the market, it is difficult to get the price confirmation for the longer duration of the commitment, as per the RFP. | No Change in<br>Tender<br>Conditions |
| 22 | AKSHARA<br>ENTERPRISES<br>INDIA PRIVATE<br>LIMITED | 5.16 (V) | 28     | The successful bidder has to ensure delivery, installation and commissioning of the projectors with mounting kit and its accessories from the warehouse to at the respective school.   | Request you to arrange transport for the delivery of the Projectors from the warehouse to the schools, as there is a cost involved in it.  Our technical team shall visit the schools and install the projectors at the school level, after the delivery of the projectors at the school level.  | No Change in<br>Tender<br>Conditions |
| 23 | AKSHARA<br>ENTERPRISES<br>INDIA PRIVATE<br>LIMITED | 5.17     | 29     | For commissioning of Tablets, Laptops and Charging Cart the successful bidder shall depute at least 15 staffs at the commissioning location in Mauritius.  | Request to remove the count of (15) staffs. Please change it to, "required staffs, as the case may be".  Hiring manpower in Mauritius is very costly. Post covid and (3) lockdowns due to (3) waves in the year 2020 & 2021, most of the migrant workers in the other fields have left the country. This particular period has created opportunities for reources in Mauritius. Due to very less       | No Change in<br>Tender<br>Conditions |

|    |  |                   |    |   | population, there is demand in the market. And cost of manpower increased abnormally i.e., atleast 3 folds compared to pre-covid scenario, due to gap between demand and supply.  |                                      |
|----|--|-------------------|----|---|---|--------------------------------------|
| 24 | AKSHARA<br>ENTERPRISES<br>INDIA PRIVATE<br>LIMITED | 5.53, 5.54 & 5.55 | 44 | 5.53) The successful bidder will be required to maintain the existing support website or shall create a new EDLP support website in consultation with EdCIL and MoETEST as per the requirement. The website should cover operational procedures of equipment, guidelines and dos and donts among others etc.  5.54) The successful bidder shall create good quality tutorial videos in consultation with EdCIL to be uploaded on the support website. The support website should be visually appealing and should seek user details for downloading the content uploaded on it.  5.55) Before the goods and equipment are taken over by the EdCIL, the Supplier should supply operation and maintenance manuals. These should be in such details as will enable the beneficiaries to operate, maintain, adjust and repair all parts of the works as stated in the specifications. The Manuals should be in the ruling language (English). | In general, OEMs shall provide the User Manuals and Operating Manuals. And Videos prepared by 3rd party are available online for access to the beneficiaries.  Kindly, clarify if those would be sufficient to share. As there will be financial implications to develop specific user manuals & videos. And also to develop and publish in the form of a support website.  Also please clarify, who is going to bear the cost of hosting the website throughout the contract period. As there is a cost involved it. | Refer Tender<br>Document             |
| 25 | AKSHARA<br>ENTERPRISES<br>INDIA PRIVATE<br>LIMITED | 7.1               | 53 | Duration & Timeline: The successful bidder has to complete the task within stipulated time of 3 Months from the date of issuance of LOI/LOA, unless terminated earlier in accordance with the provision of the signed agreement.  | Justification for a request to change in the Timelines:  (a) Most of the accessories are to be imported from CHINA. And due to the current CHINA Covid-19 situation, it will be difficult to meet the timelines.  (b) During the Import & Export of the equipment as well, due to current changes/trends in Air/Sea Cargo handling mechanism, it is difficult to obtain the space. And there is an unwarranted delay at connecting ports, post Covid.   | No Change in<br>Tender<br>Conditions |

|    |  |     |    |  | Request to Change "Pre-Dispatch Inspection" to T+6 weeks, based on the above facts.  Request to change Timelines to (18) weeks, on the above grounds. |                                      |
|----|--|-----|----|--|---|--------------------------------------|
| 26 | AKSHARA<br>ENTERPRISES<br>INDIA PRIVATE<br>LIMITED | 7.2 | 53 | 1. Payment shall be released after Satisfactory Pre Dispatch Inspection of equipment by PDI Committee and submission of signed and stamped inspection report to EdCIL as per the entire satisfaction of the client. Payment will be made if items are found in good condition as per term and conditions mentioned in the RFP. The bidder should submit the following documents to the EdCIL for the payment:  2 Copies of the tax invoice showing contract number, goods description, quantity unit price, total amount.  PDI Certificate issued by the nominated inspection committee (signed and stamped) as applicable.  Valid document as proof of dispatch of materials  to Mauritius.  Payment % of the Contract Value: 20% | Request to change the milestone to 30%  In general, this is the payment clause followed in most tenders.  | No Change in<br>Tender<br>Conditions |
| 27 | AKSHARA<br>ENTERPRISES<br>INDIA PRIVATE<br>LIMITED | 7.2 | 54 | Payment shall be released after successful delivery of all hardware items in Mauritius and submission of all delivery certificate signed and stamped by authorized representative of MoETEST and EdCIL as per term and conditions mentioned in the RFP.  The bidder should submit the following documents to the EdCIL for the payment:  Delivery report signed and stamped from EdCIL and MoETEST as applicable.  Insurance Certificate.  Manufacturer's/ Supplier's warranty certificate.  (The part payment against delivery can be   | Request to change the milestone to 40%  In general, this is the payment clause followed in most tenders.  | No Change in<br>Tender<br>Conditions |

|    |  |      |    | done in accordance to the progress)  Payment % of the Contract Value: 30%  |  |                                      |
|----|--|------|----|--|--|--------------------------------------|
|    |  |      |    |  |  |                                      |
| 28 | AKSHARA<br>ENTERPRISES<br>INDIA PRIVATE<br>LIMITED | 7.2  | 54 | Payment shall be released after successful commissioning and handing over of all hardware items at school level in Mauritius.  The bidder should submit the following documents to the EdCIL for the payment:  Commissioning report signed and stamped from EdCIL and MoETEST as applicable.  (The part payment against commissioning can be done in accordance to the progress)  Payment % of the Contract Value: 40%   | Request to change the milestone to 20%  In general, this is the payment clause followed in most tenders.                   | No Change in<br>Tender<br>Conditions |
| 29 | AKSHARA<br>ENTERPRISES<br>INDIA PRIVATE<br>LIMITED | 8.28 | 64 | Foreign Exchange Variation:  EdCIL will consider base exchange rate for substantial hardware quantities intended for import by the bidder for the project for ascertaining the foreign exchange variation (ERV) risk. The exchange rate as per RBI for USD on the date of bid submission will be considered for reference purpose.  In case of variation in foreign exchange rate in the range of -5% to +5% the quoted price by the successful bidder will remain same during entire duration of contract. However, if there is variation in foreign exchange rate beyond -5% to +5% during the contract period then the price would be rediscussed for mitigating ERV factor for any downward/upward trend at the time of any additional work order beyond committed quantities defined in clause 5.6. | Request to change the ERV to -2.5% to +2.5%, as per the "Guidelines of Protection of Exchange Rate Variation in Contracts" | No Change in<br>Tender<br>Conditions |

| 30 | AKSHARA<br>ENTERPRISES<br>INDIA PRIVATE<br>LIMITED      | Form1 Financial Bid                               | 4           | In terms of relevant MoU between entered into EdCIL and MoETEST, the Govt. of Mauritius has agreed to waive off or pay all the related domestic statutory taxes, port duties, levies and charges during the implementation of the project. Hence the price quoted should not include these taxes and the same will not be considered for inter-se merit and evaluation purpose. | It is understood, the Taxes & Duties at the import point in Mauritius will be borne by the Government of Mauritius.  However, apart from the above taxes and duties, there are other financial implications viz., Demurrage charges, Clearing & Handling Charges, Brokerage Charges, Documentation Charges, Handling Fees, MNS Fees, Verification Fees, Transportation Charges from the Air/Sea Cargo to the designated commissioning site.  Request you to clarify if the above-said charges would be covered under "Charges during the implementation of the project" | Refer Tender<br>Document             |
|----|---|---|-------------|---|---|--------------------------------------|
| 31 | Dell International<br>Services India<br>Private Limited | Annexure XVIII EQUIPMENT SPECIFICATION COMPLIANCE | 113         | Laptop Bag / Carry Case:100% Polyester Minimum of 24L capacity Minimum of (2) compartments Ventilated back mesh padding with padded shoulder straps The padded compartment should fit the proposed Laptop Adjustable shoulders Laptop compartment has velcro closure Name Tag/Holder to be stitched on the Laptop Bag   | Request kindly change capacity to 20L.We have backpacks with 20L capacity that can house proposed Notebooks.  Aslo request kindly remove the clause " Name Tag/Holder to be stitched on the Laptop Bag" None of Dell Branded Backpacks offer the same   | No Change in<br>Tender<br>Conditions |
| 32 | Dell International<br>Services India<br>Private Limited | Annexure XVIII EQUIPMENT SPECIFICATION COMPLIANCE | 111         | Internal Hard Disk - Min 1 TB   | Request you to kindly change Specifications to 256 GB SSD + 1 TB HDD Operating Systems & Applications installed have become more demanding and system will face performance issues with HDD set as boot drive.  | Refer<br>Corrigendum                 |
| 33 | Dell International<br>Services India<br>Private Limited | Annexure XVIII EQUIPMENT SPECIFICATION COMPLIANCE | 111/1<br>12 | ANTIVIRUS AND ANTISPYWARE   | While there is mention of Anti-Virus Solutions. We recommend the Below the OS Security be also by incorporating Hardware TPM 2.0  | Refer<br>Corrigendum                 |
| 34 | Dell International<br>Services India<br>Private Limited | Annexure XVIII EQUIPMENT SPECIFICATION COMPLIANCE | 111         | 3. INPUT DEVICES  | Request to add Spill Resistant Keyboard to the Speciifcations since these machines will be used in Classrooms. The Spill-resistant Keyboard gives users enough time to save their data and shut down their notebook in the event of an accidental spill. This allows them to save valuable data as well as ensure that the liquid is not contacting running components.   | No Change in<br>Tender<br>Conditions |

| 35 | Instant Procurement<br>Services Pvt Ltd | CHAPTERVI<br>Eligibility<br>and Bid<br>Evaluation | 49 | The Bidder should have Supplied, Commissioned and Maintained minimum quantity of 11,000 nos. of Tablets/Laptops in India or Globally in single project/work order in any Govt. department/institutes in the last five years executed as on date of submission of bid. | The Bidder should have Supplied, Commissioned and Maintained minimum quantity of 9,000 nos. of Tablets/Smartphones/Laptops in India or Globally in single project/work order in any Govt. department/institute in the last five years executed as on date of submission of bid. | No Change in<br>Tender<br>Conditions   |
|----|---|---|----|---|---|--|
| 36 | Instant Procurement<br>Services Pvt Ltd | CHAPTERVI<br>Eligibility<br>and Bid<br>Evaluation | 50 | For MSME/Startup The Bidder should have an average annual turnover of at least INR 80 Crores from IT/ITES services in similar nature of works during the last three financial years, i.e., 2019-20, 2020-21 & 2021-22, with net profit and positive net worth.        | For MSME/Startup The Bidder should have an average annual turnover of at least INR 40 Crores during the last three financial years i.e. 2019-20, 2020-21 & 2021-22 with net profit and positive net-worth.  | No Change in<br>Tender<br>Conditions   |
| 37 | Instant Procurement<br>Services Pvt Ltd | CHAPTERVI<br>Eligibility<br>and Bid<br>Evaluation | 50 | The Bidder should have an average annual turnover of at least INR 100 Crores from IT/ITES services in similar nature of works during the last three financial years i.e. 2019-20, 2020-21 & 2021-22 with net profit and positive net worth.                           | The Bidder should have an average annual turnover of at least INR 50 Crores during the last three financial years i.e. 2019-20, 2020-21 & 2021-22 with net profit and positive net-worth.   | No Change.<br>Refer Tender<br>Document |

#### **Corrigendum 01**

NIT No- EdCIL/DES/Mauritius/EDLP/2023/01

**Name:** Selection of System Integrator for Supply, Commissioning of IT Hardware and Software Applications along with Maintenance Support Services for Primary Schools located in Republic of Mauritius

#### 1. Pre-Qualification Criteria

| S.     | Pre- Qualification Criteria   | Revised Pre-Qualification   | Supporting  |
|--------|---|---|---|
| No.    |   | Criteria  | Documents   |
| No. 2. | The Bidder/OEM should have Supplied, Commissioned and Maintained minimum quantity of 30,000 nos. of Tablets/Laptops in India or Globally in any Govt. department/ institutes in the last five years executed as on date of submission of bid. And The Bidder should have Supplied, Commissioned and Maintained minimum quantity of 11,000 nos. of Tablets/Laptops in India or Globally in single project/work order in any Govt. department/ institutes in the last five years executed as on date of submission of | Criteria  The Bidder/OEM should have Supplied, Commissioned and Maintained minimum quantity of 30,000 nos. of Tablets/Laptops in India or Globally in any Govt. department/ institutes in the last five financial years (till FY 2021-22) executed as on date of submission of bid.  And  The Bidder should have Supplied, Commissioned and Maintained minimum quantity of 11,000 nos. of Tablets/Laptops in India or Globally in single project/work order in any Govt. department/ institutes in the last five financial years (till FY 2021-22) executed as on date of | Work     Order/Certificate/E     mail Confirmation     from client.     OR     Work     Order/Certificate/E     mail from the client     showcasing that     supply and     commissioning of     tablets for ongoing     projects |
| 4.     | bid.  The bidder should possess ISO 9001, ISO 20000, ISO 27001 as on the date of submission of bid.   | submission of bid.  The bidder should possess ISO 9001, ISO 27001 as on the date of submission of bid.  | Copy of the valid ISO Certificate issued from the accreditation organization to be submitted as documentary proof.  |
| 8.     | The Authorized Signatory signing the Bid on behalf of the Bidder - should have the Power of Attorney duly authorized by the Board of Directors to sign the Bid.   | The Authorized Signatory signing the Bid on behalf of the Bidder - should have the Power of Attorney/Board Resolution duly authorized by the Board of Directors to sign the Bid.  | • Power of attorney shall be submitted in prescribed format on Non-Judicial stamp paper of value INR100/- (Rupees   |

|  | One   | Hundred    |
|--|-------|------------|
|  | Only) |            |
|  | OR    |            |
|  | Board | Resolution |
|  | Copy  |            |

Note: All other Pre-Qualification Criteria remains unchanged.

#### 2. Technical Specification

| S.No. | Annexure                        | Revised  |  |
|-------|---------------------------------|--|--|
| 1.    | Annexure XVIII Equipment        | Refer Revised Annexure 1 of Corrigendum-01 for |  |
|       | Specification Compliance for    | Revised Equipment Specification Compliance for |  |
|       | Teacher Device                  | Teacher Device                                 |  |
| 2.    | Annexure XIX Equipment Pre-     | Refer Revised Annexure 2 of Corrigendum-01 for |  |
|       | Dispatch Inspection for Teacher | Revised Equipment Pre-Dispatch Inspection for  |  |
|       | Device                          | Teacher Device                                 |  |

The revised date and time of the RFP will be as follows:

| <b>Event Description</b>                      | Date and Time                | Revised Date and Time        |
|---|------------------------------|------------------------------|
| Document Download End Date and Time           | 25 January 2023 at 14:30 Hrs | 30 January 2023 at 14:30 Hrs |
| Last Date and Time for receipt of Bids        | 25 January 2023 at 15:00 Hrs | 30 January 2023 at 15:00 Hrs |
| Date and Time of Opening of<br>Technical Bids | 25 January 2023 at 16:00 Hrs | 30 January 2023 at 16:00 Hrs |

Rest all other terms & conditions of the tender will remain same.

Sd/-Chief General Manager (DES) EdCIL (India) Ltd

#### Annexure 1

### **Equipment Specification Compliance**

# **Projector Specification Compliance**

| S.No | Technical Specification Required |   | Bidder's<br>Proposed<br>Specifications | Compliance of Specification |
|------|----------------------------------|---|--|-----------------------------|
| 1    | Make & Model                     |   | -                                      |                             |
| 2    | Display type                     | Short-throw DLP or better   |  |                             |
| 3    | Brightness (ANSI lumens)         | Minimum 3600 ANSI   |  |                             |
| 4    | Native resolution (Horizontal x  | Minimum 1280 x800WXGA   |  |                             |
| 5    | Contrast Ratio                   | 22000:1   |  |                             |
| 6    | Wireless connectivity            | The projector should be able to connect to a tablet/ Laptop through an integrated / External WiFi module with the following minimum configuration/specifications: CPU - Min 1.2 GHz DRAM - Min 512MB NAND - Min 256MB Power - DC 5V/1.5A Supporting OS - a. Windows OS 7 and later with Miracast support b. Mac OS X 10.2 and above with Mirror Screen support c. Android 9 above with Mirror Screen support Mirror Screen - Screen mirroring from mobile devices with Mirror Screen supported OS Frequency Band - 2.4G/5G supported Video Support - Max. 4K@30Hz video decode Output Resolution supported - 1280x720@60Hz/50Hz, 1920x1080@60Hz/50Hz, 1920x1080@60Hz/50Hz, 4096x2160@30Hz  & 3840x2160@30Hz |  |                             |
| 7    | Wired connectivity               | Must include standard cabling and accessories for set up  |  |                             |
| 8    | Resolution Supported             | VGA (640 x 480) to WUXGA (1920 x 1200)  |  |                             |

| 9  | Selectable Aspect Ratio   | 16:10;16:9;4:3;Auto;Real  |  |
|----|---|---|--|
| 10 | Display Color   | 1.07 Billion or better  |  |
| 11 | Lamp type (metal halide, etc.)  |   |  |
| 12 | Lamp power (in watts)   |   |  |
| 13 | Lamp user replaceable (Yes/No)  |   |  |
| 14 | Throw Ratio   | 0.49 or better  |  |
| 15 | Screen Coverage   |   |  |
| 16 | Remote Control  |   |  |
| 17 | Computer/Laptop/Tablet Compatibility  |   |  |
| 18 | Video Compatibility (NTSC, PAL, SECAM)  |   |  |
| 19 | 3D Compatibility  | Frame Sequential; Frame Packing; Side by Side;Top Bottom  |  |
| 20 | Stereo Sound System   |   |  |
| 21 | HDMI  | Min (x2),HDMI-1 (1.4a/HDCP1.4)  |  |
| 22 | Audio in/out (3.5mm Mini Jack)  | 2   |  |
| 23 | USB Type A and Type B   | 1 each  |  |
| 24 | Speaker   | Should have inbuilt speaker of minimum 10 W x 1 RMS   |  |
| 25 | Wall Mounted and relevant standard accessories (Extensible Rod and other fixtures for ceiling mounting) | The base and arm have to be robust to avoid the projector bending. There should be the provision of tilting of the projector and cutout for cable management.  The Wall mount should have the minimum following specifications:  Length expandable: 2.5Ft to 4.5Ft  Max. Load Capacity: 10Kgs Outer & Inner Tube: Minimum of 18 Guage CR Tube Sheet metal: Minimum of 16 Guage CR Sheet Product Weight: Minimum of 2.5Kgs |  |
| 26 | Dimensions (L*W*H)  |   |  |
| 27 | Weight  |   |  |
| 28 | Power Supply  | Input voltage – 230 V +/-<br>6%. Single power for<br>complete projector and   |  |

| 29 | HDMI Cable                             | HDMI Cable with the following minimum specifications:  Length: Minimum 7.5 Mtrs Support: Minimum 1080P - 4K @ 30Hz Bandwidth: Minimum 10.2 Gb/s   |  |
|----|--|---|--|
| 30 | Electrical Connections and Accessories | British BS 1363 compliant -<br>with Power Cable of<br>Minimum of 3Mtrs in Length  |  |
| 31 | Projector lens                         |   |  |
| 32 | Remote support                         | Wall support for remote to be fixed   |  |
| 33 | Project Logo                           | 1. The Project LOGO/Information DOME Stickers should be pasted on the Projector.  2. The Project LOGO/Information along with the Projector Asset details should be available as an "Asset Information Board" and should be affixed in the classroom during installation.  3. A Non-scratchable Project LOGO/Information to be printed on the Remote Holder (Wall support for remote). |  |
| 34 | Other Features                         |   |  |

# **Learner Device Specification Compliance**

|    | Technical Specification Required   |   | Bidder's<br>Proposed<br>Specifications | Compliance of Specification |
|----|--|---|--|-----------------------------|
| 1  | Product End of Life  | The proposed Tablet model<br>End of Life should not be less<br>than 2 year from the date of<br>submission of the bid. |  |                             |
| 2  | Vendors / OEMs should be in TOP 5 list of the Gartner/IDC Report for the last 5 Quarters | Supported documents for the Gartner/IDC last (5) Quarters to be submitted.  |  |                             |
| 3  | Make & Model   |   |  |                             |
| 4  | Country of Manufacture   |   |  |                             |
| 5  | Processor  | Specify   |  |                             |
| 6  | Processor Core   | At least 8  |  |                             |
| 7  | Processor Speed  | Minimum 2.0GHz or better  |  |                             |
| 8  | RAM capacity   | Min 3GB or more   |  |                             |
| 9  | Mass Storage Capacity (Internal)   | Min 32 GB of internal storage or more   |  |                             |
| 10 | Micro SD card slot   | The tablet should have Micro SD card slot   |  |                             |
| 11 | Blank Micro SD card  | Minimum 64 GB or more   |  |                             |
| 12 | Bluetooth  | Version 5.0 or above  |  |                             |
| 13 | WiFi   | Need to be compliant with Wi-Fi 802.11 a/b/g/n/ac standards   |  |                             |
| 14 | Support Dual Band  | Should support dual band 2.4 GHz and 5 GHz  |  |                             |
| 15 | Security   | Ability to be secured with at least WPA/WPA2  |  |                             |
| 16 | Display Technology   | Display technology should be IPS/PLS LCD or better  |  |                             |
| 17 | Screen size  | 10 inches to 12 inches  |  |                             |
| 18 | Screen to body ratio   | 80% or better   |  |                             |
| 19 | Resolution   | Minimum 1920x 1200  |  |                             |
| 20 | Multi-touch based input on screen  | Should have multi-touch based input screen  |  |                             |
|    | Input Device   |   |  |                             |
| 21 | Ports  | At least 1 USB Type-C 2.0 Please Specify other ports  |  |                             |
| 22 | Touchpad   | Specify   |  |                             |
| 23 | Battery Capacity (mAh)   | Should have minimum 7000 mAh or better  |  |                             |

| 24 | Battery Autonomy (in hours)     | Should have minimum 12 hours   |
|----|---------------------------------|--|
| 25 | Per 100 % charge                | Should have minimum 12 hours   |
| 26 | Video Streaming at 100 % charge | Should be able to operate for minimum 3 hours  |
| 27 | Web Browsing at 100 % charge    | Should be able to operate for minimum 5 hours  |
| 28 | e-book reading at 100 % charge  | Should be able to operate for minimum 6 hours  |
| 29 | Built in Speakers               | Tablet must have dual built in speakers  |
| 30 | Built-in Microphone             | Tablet must have built in microphone   |
| 31 | Integrated Camera               | Minimum Front Camera - 5.0MP & Minimum Rear Camera - 8.0MP with Flash                                      |
| 32 | Headsets (not ear plug type)    | Stereo for both right and left channels (not Monaural)   |
|    |                                 | Microphone input not needed  |
|    |                                 | Wired with standard Braided cable of 60 cm   |
|    |                                 | No volume control needed  3.5 mm L-Shape jack entry  |
|    |                                 | for headset  |
|    |                                 | Adjustable headband for students   |
|    |                                 | Spongy ear-pots, not on-ear model  |
|    |                                 | Single piece plastic housing, use of metal assembles is not recommended                                    |
|    |                                 | Simple and classic headphone model Branding  |
|    |                                 | Project information to be printed on the Headset   |
| 33 | Tablet keyboard                 | The keyboard should not require additional charging  |
| 34 | Tablet Charging                 | It is mandatory to have the tablet along with keyboard can be placed together in rack charger for charging |
| 35 | Serial Number                   | The serial number should be on the Tablet should be provided by the OEM on the Tablet device & also should |

|    |   | visible in the OS settings.   |  |
|----|---|---|--|
| 36 | Project Logo  | TABLET:  1. Non-Scratchable Project LOGO/Information on the back-side of the Tablet.  2.Project LOGO/Information on the Boot Screen on starting of the Tablet.  PROTECTIVE CASE:                                    |  |
|    |   | 1.ProjectLOGO/Information should be embossed on one side of the Protective Case. 2.ProjectLOGO/Information should be printed on other side of the Protective Case.  |  |
|    |   | KEYBOARD: 1. Non-scratchable LOGO/Information printing on the Keyboard  |  |
|    |   | HEADSET: 1. Non-scratchable Project LOGO/Information should be printed on the Ear pots.   |  |
| 37 | Operating System                                      | Latest compatible version of<br>any of the following:<br>Android/iOS/Windows<br>In case of Windows,<br>MOETEST will provide<br>licenses. (Please refer to<br>Shape the Future letter of<br>eligibility for MOETEST) |  |
| 38 | Documentation language for softwares and user manuals | English   |  |
| 39 | Antivirus with Antimalware features                   | The proposed licenses for antivirus with antimalware features should be valid for 3 years from the date of commissioning. This should be supported by documentary evidence.   |  |
| 40 | Browser   | Must have free version of browser pre-installed in the tablet   |  |
| 41 | Classroom Management<br>Software                      | CMS Mandatory (even if open source) CMS need to be pre-loaded at  |  |

|            |                         | 1100 1 00 0   |
|------------|-------------------------|---|
|            |                         | no additional cost for the next                       |
|            |                         | 3 years.  |
|            |                         | The CMS will integrate the                            |
|            |                         | following features.                                   |
|            |                         | - The CMS will provide the                            |
|            |                         | option to create three types of                       |
|            |                         | assessments namely, a.                                |
|            |                         | SUBJECTIVE, b. TRUE                                   |
|            |                         | FALSE, & c. MULTIPLE                                  |
|            |                         | CHOICE Questions.                                     |
|            |                         | - The CMS will provide the                            |
|            |                         | facility to integrate the type                        |
|            |                         | of fonts for Languages as per                         |
|            |                         | the fonts suggested by                                |
|            |                         | MoETEST.  |
|            |                         | - The CMS will provide the                            |
|            |                         | option to upload additional                           |
|            |                         | resources by the Teachers                             |
|            |                         | and share them with                                   |
|            |                         | respective students.                                  |
|            |                         | - The CMS will provide                                |
|            |                         | analytics reports to the                              |
|            |                         | Teachers to track the student                         |
|            |                         | learning hours, and                                   |
|            |                         | assessment-related activities.                        |
|            |                         | - The CMS will provide a                              |
|            |                         | feature to push schedule-<br>based assessments to the |
|            |                         | learner's device                                      |
| 42         | Preloaded Applications  | The following indicative                              |
| <b>1</b> 2 | 1 reloaded Applications | applications to be pre-loaded                         |
|            |                         | 1. PDF Reader   |
|            |                         | 2. ePub Reader  |
|            |                         | 3. basic drawing tool                                 |
|            |                         | 4. Scratch Junior                                     |
|            |                         | 5. Scratch 3.0  |
|            |                         | 6. Open Office  |
|            |                         | 7. File Explorer                                      |
|            |                         | 8. Windows movie maker                                |
|            |                         |   |
|            |                         | if OS is Windows or similar                           |
|            |                         | alternatives on other OS                              |
|            |                         | All the above software need                           |
|            |                         | to be free, for which no                              |
|            |                         | further license will be                               |
|            |                         | required  |
| 43         | Learning Content        | Each tablet need to be pre-                           |
|            |                         | loaded with learning content.                         |
|            |                         | Subsequent updates should                             |
|            |                         | be offline or online. Contents                        |
|            |                         |   |

|    |                        | will be made available for                      |  |
|----|------------------------|---|--|
|    |                        | upload from a centralized                       |  |
|    |                        | site.   |  |
|    |                        | The learning content will be                    |  |
|    |                        | provided by MOETEST.                            |  |
| 44 | Content Update         | Offline or Centralised cloud-                   |  |
|    | - Family               | based automatic updates                         |  |
| 45 | Drop Resistance        | The Tablet excluding the                        |  |
|    | Drop resistance        | cover should be drop                            |  |
|    |                        | resistant (Documentary                          |  |
|    |                        | evidence to be submitted                        |  |
|    |                        |   |  |
|    |                        | from the Bidder/ OEM of the                     |  |
|    |                        | product as per the certified                    |  |
|    |                        | abstract of the technical                       |  |
|    |                        | manual of OEM/ 3rd party                        |  |
|    |                        | testing agency)                                 |  |
| 46 | Water Resistance       | The Tablet Computer should                      |  |
|    | Water resistance       | be water resistant                              |  |
|    |                        | (Documentary evidence to be                     |  |
|    |                        | submitted from the Bidder/                      |  |
|    |                        | OEM of the product as per                       |  |
|    |                        | the certified abstract of the                   |  |
|    |                        |   |  |
|    |                        | technical manual of OEM/                        |  |
| 47 | Tablet Stand           | 3rd party testing agency)                       |  |
| 47 | Tablet Stand           | The tablet should be provided                   |  |
|    |                        | with the ability to be                          |  |
|    |                        | positioned Horizontally on a                    |  |
|    |                        | table. This can be through an                   |  |
|    |                        | external or internal                            |  |
|    |                        | component.                                      |  |
| 48 | Shock Proof Protection | The device should be                            |  |
|    |                        | ruggedized as integral                          |  |
|    |                        | component or as separate                        |  |
|    |                        | external component (cover).                     |  |
|    |                        |   |  |
|    |                        | The protective cover should                     |  |
|    |                        | be custom made for the                          |  |
|    |                        | proposed Tablet.                                |  |
|    |                        | D : 41  |  |
|    |                        | Project Logo:                                   |  |
|    |                        | 1. Logo/information should                      |  |
|    |                        |   |  |
|    |                        | be embossed on one side of the Protective Case. |  |

|    | T                                   | T  |  |
|----|-------------------------------------|--|--|
|    |                                     | 2. Logo/information should be printed on other side of the Protective Case.  |  |
| 49 | Device Charging                     | Charging of device should be feasible with any cover on the Charging Cart/Cabinet.   |  |
| 50 | Screen Protection                   | There should be tamper proof glass on tablet screen with the following minimum specifications: Thickness: minimum of 0.3mm Hardness: minimum of 9H |  |
| 51 | ISO 9001 :2008 certification        | The tablet should comply with ISO 9001:2008 certification.   |  |
| 52 | Electrical Standards                | Should be compliant with British BS 1363   |  |
| 53 | EPEAT Registration                  |  |  |
| 54 | Energy Star rating                  |  |  |
| 55 | EU Ecolabel compliance              | State whether product is compliant with EU Ecolabel. If yes, specify type.   |  |
| 56 | Other certifications                | FCC, CE/EU, RoHS, UL,<br>BIS, TÜV Rheinland, Low<br>Blue Light   |  |
| 57 | Other features proposed by supplier |  |  |

# **Tablet Charging Cart Specification Compliance**

|   | <b>Technical Specification Required</b> |                          | Bidder's       | Compliance    |
|---|---|--------------------------|----------------|---------------|
|   |   |                          | Proposed       | of            |
|   |   |                          | Specifications | Specification |
|   |   |                          |                |               |
| 1 |   | Rack Type Charging       |                |               |
|   | Type                                    | Station suitable for     |                |               |
|   |   | charging multiple no. of |                |               |
|   |   | devices simultaneously   |                |               |

| 2  | Make & Model  |                                 |
|----|---|---------------------------------|
| 3  | Suitable for charging of Mobile Devices                                 | Tablet                          |
| 4  | Maximum size of the device that can be accommodated (cm)                | 26                              |
| 5  | Number of devices which can be accommodated in the station for charging | 20                              |
| 6  | Number of Charging Socket Outlet  | 20                              |
| 7  | Type of Socket outlet   | Standard                        |
| 8  | Rating of the Socket Outlet used  | 5 Ampere / 6 Ampere             |
| 9  | Number of Pins in the Socket<br>Outlet                                  | 5                               |
| 10 | Conformity of the Socket Outlet to IS/BS                                | IS :1293 / 2005 for<br>Standard |
| 11 | Socket Outlet -ISI Marked (For Standard)                                | NA for Universal                |
| 12 | Socket Outlet -CE Marking (For Universal)                               | No                              |
| 13 | Number of Input Plug used to connect with the power                     | 1                               |
| 14 | Rating of the Input Plug used   | 15 Ampere / 16 Ampere           |
| 15 | Number of the Pins in the Input<br>Plug                                 | 3                               |
| 16 | Conformity of the Input Plug to IS/BS                                   | IS :1293 / 2005 for<br>Standard |
| 17 | Input Plug -ISI Marked (For Standard)                                   | NA for Universal                |
| 18 | Input Plug -CE Marking (For Universal)                                  | No                              |
| 19 | Total Number of Switches used   | 3                               |

| 20 | Rating of the Switch used  | 5 Ampere / 6 Ampere   |  |
|----|--|---|--|
| 21 | Conformity of the switches to IS/BS  | IS: 3854 / 1997   |  |
| 22 | Switch -ISI Marked   | Yes   |  |
| 23 | Length of Power Cord provided (Meters)   | 1.5   |  |
| 24 | Conformity of Power Cord to IS/BS  | BS: 1363  |  |
| 25 | Power Cord -ISI Marked   | NA  |  |
| 26 | Power Cord -CE Marked  | Yes   |  |
| 27 | Timer to pre define the Auto On-Off of tablets by the user                           | Yes   |  |
| 28 | Surge Protection through<br>Electrical Circuit (MCB) to protect<br>the device        | Yes   |  |
| 29 | Electrical Circuit (MCB) -ISI<br>Marked to IS/IEC 60898-1:2002                       | Yes   |  |
| 30 | Over Voltage Current Protection  | Operating Voltage: 165-260VAC, load Current: upto 28A, Triping time: >20ms, Surge supression: upto 4KV, Voltage Containment: 440VAC |  |
| 31 | Independent Control Switch for each Compartment                                      | Yes   |  |
| 32 | Ventilation provided in the side walls of the enclosure                              | Yes   |  |
| 33 | Number of Cooling Fans used to exhaust the heat generated during charging of devices | 2   |  |
| 34 | Fans Operation   | Timer should control fans separately  |  |
| 35 | Earthing Provided  | Yes   |  |

| 36 | Power Supply  | 230 V,AC +/-6%, 50 Hz  |  |
|----|---|--|--|
| 37 | Power On LED Indicator  | No   |  |
| 38 | Flexible copper cables are used for wiring and connections are conforming to IS/BS (All cables must comply to BS or equivalent standards) | Yes  |  |
| 39 | Enclosure Details   |  |  |
| 40 | Enclosure Material  | Wooden Polymer (Heavy duty)  |  |
| 41 | Thickness of the Enclosure (mm)   | 12   |  |
| 42 | Number of Compartments in the Rack  | 2  |  |
| 43 | Maximum Width of Charging compartment (cm)  | 65   |  |
| 44 | Number of devices can be accommodated in one compartment  | 10   |  |
| 45 | Device Loading Facility   | Front Loading  |  |
| 46 | Door Lock Availability in the<br>Charging Station   | Front and Back both With internal and external lock mechanism  |  |
| 47 | Number of Partitions/docks available in each compartment  | 10   |  |
| 48 | Smooth surface is provided on the base of the Rack for easy travelling of the Device into docks / partitions during charging              | Castor wheels with minimum specifications:  Total: 4 Wheels  Minimum 2 Wheels with Brakes (Front Wheels) |  |
|    |   | Minimum Diameter of 50mm   |  |
|    |   | Ruggedly constructed with  |  |

|    |  | double ball bearing to take load.               |  |
|----|--|---|--|
|    |  | Each Wheels should take a minimum load of 35Kgs |  |
| 49 | Wheels / Casters to be used for easy movement of Charging Rack             | Yes (Heavy duty)                                |  |
| 50 | Water Proof Enclosure  | Yes   |  |
| 51 | Vermin Proof Enclosure in case of<br>Wooden or Wooden Polymer<br>Composite | Yes   |  |
|    | Miscellaneous  |   |  |
| 52 | Overall Dimensions (L x W xH) (cm x cm x cm)                               | 610X570X800                                     |  |
| 53 | Weight (Kilograms)   | 65 (maximum)                                    |  |
| 54 | Minimum Operating Temperature (Degree C)                                   | -20   |  |
| 55 | Maximum Operating Temperature (Degree C)                                   | 49  |  |
| 56 | Minimum Operating Humidity (%RH)   | 33  |  |
| 57 | Maximum Operating Humidity (%RH)   | 85  |  |
| 58 | RoHS Compliance  | Specify   |  |
| 59 | Other Certifications available   | Specify   |  |
| 60 | Protective Switchgears shall comply to EU Standard or its equivalent.      |   |  |
| 61 | Cable lugs/terminals and connectors should be of appropriate rating.       |   |  |
| 62 | Danger notice sign should be fixed on the Cart.                            |   |  |

| 63 | Project Logo | 1. The Project               |  |
|----|--------------|------------------------------|--|
|    |              | LOGO/Information should      |  |
|    |              | be printed on the Electrical |  |
|    |              | Panel of the Rack Charger.   |  |
|    |              | 2. The Project               |  |
|    |              | LOGO/Information             |  |
|    |              | DOME Stickers should be      |  |
|    |              | pasted on the Front Doors    |  |
|    |              | of the Rack Charger.         |  |
|    |              | _                            |  |
|    |              | 3. Electrical Circuit        |  |
|    |              | diagram sticker should be    |  |
|    |              | available on the inner side  |  |
|    |              | of the back door.            |  |
|    |              | 4. Relevant Electrical &     |  |
|    |              | Usage precaution stickers    |  |
|    |              | should be available on the   |  |
|    |              | Rack Charger.                |  |
|    |              |                              |  |

# **Teacher Device Specifications Compliance**

| S.No | Technical Specification Required   |  | Bidder's<br>Proposed<br>Specifications | Compliance of<br>Specification |
|------|--|--|--|--------------------------------|
| 1    | Make & Model   | Yes and specify  |  |                                |
| 2    | Country of Manufacture   | Yes and specify  |  |                                |
|      | Vendors / OEMs should be in TOP 5 list of the Gartner/IDC Report for the last 5 Quarters | Supported documents for the Gartner/IDC last (5) Quarters to be submitted. |  |                                |
|      | PROCESSOR  |  |  |                                |
| 4    | Processor  | At least Intel Core i5 (12th Generation) (minimum base frequency 1.3 GHz)  |  |                                |
| 5    | Processor Cache  | Minimum 12 MB Cache  |  |                                |
| 6    | RAM Capacity   | Minimum of 8 GB RAM  |  |                                |
| 7    | RAM expandable to  | Minimum 1-DIMM slot to support upto 16 GB                                  |  |                                |
| 8    | Processor Core   | Minimum 10   |  |                                |
|      | COMMUNICATIONS   |  |  |                                |
| 9    | - USB port   | Minimum 3 (At least 1 USB 3.0 port)  |  |                                |
| 10   | - Ethernet port(10/100/1000<br>Base T)   | Min 1  |  |                                |

| 11   | - WiFi certified wireless LAN card for connectivity to WiFi certified access point (IEEE 802.11n with backward compatibility) | Yes                                      |  |
|------|---|--|--|
| 12   | HDMI Port   | Yes                                      |  |
|      |   |  |  |
|      | INPUT DEVICES   |  |  |
| 13   | Pointing Device   | Yes, Touchpad                            |  |
|      | Mouse   | Yes                                      |  |
| 1.   | MASS STORAGE  |  |  |
| 15   | Internal Hard Disk  | Min 256 GB SSD + 1 TB HDD                |  |
| 16   | DVD Writer  | Internal/External                        |  |
| 10   | DISPLAY   | Internal External                        |  |
| 17   | - Display   | Colour                                   |  |
| 18   | - Technology (Dual Scan,  |  |  |
| 10   | TFT,)   | LED or better                            |  |
| 19   | - Screen size (inch)  | Min 14"                                  |  |
| 20   | - Battery Autonomy (in  |  |  |
| 20   | hours)  | Specify                                  |  |
|      | STANDARD SOFTWARE   |  |  |
| 21   | STILL STILL SOTT WITE   | Licenses for Windows 10 Education will   |  |
|      |   | be provided.                             |  |
|      | The Ministry will provide the   |  |  |
| 22   | successful Bidder with their  | Windows Media Kit or Recovery CD or      |  |
|      | volume License Key to install   | any other acceptable alternative to be   |  |
|      | Windows 10 Education  | provided. Appropriate mechanism to       |  |
|      |   | certify genuineness of software to be    |  |
| - 22 |   | provided.                                |  |
| 23   |   | Hardware Based TPM 2.0                   |  |
| 24   | Microsoft Office 2019 (or   |  |  |
|      | Latest) (including Word,  | Yes, Preinstalled. Licenses will be      |  |
|      | Excel, Powerpoint,  | provided.                                |  |
|      | Outlook,)   |  |  |
|      | ANTIVIRUS AND   |  |  |
| 2.5  | ANTISPYWARE   | CODITOR A C. C. C. A. C.                 |  |
| 25   |   | SOPHOS Antivirus & Antispyware pre-      |  |
|      |   | installed with THREE (3) years           |  |
|      |   | maintenance and upgrade (Virus           |  |
|      |   | definitions and antivirus software)      |  |
|      |   |  |  |
|      | Antivirus Software  | Threat Protection - Anti-Malware, Web    |  |
|      |   | Security, URL Filtering, HIPS, Firewall, |  |
|      |   | Active Directory Defence, PUA            |  |
|      |   | Blocking, Application Control            |  |
|      |   | Diocking, Application Control            |  |
|      |   | Advanced Threat Protection - Behaviour   |  |
|      | l .   |  |  |

| ĺ  |                          | Analytics, Root Cause Analysis  |  |
|----|--------------------------|---|--|
|    |                          | Analytics, Root Cause Analysis  |  |
|    |                          | Endpoint Controls - Application Control,                              |  |
|    |                          | Device & Port Control, Application                                    |  |
|    |                          | Vulnerability Management, Data Loss                                   |  |
|    |                          | Prevention  |  |
|    |                          |   |  |
|    |                          | Device Configuration Management –                                     |  |
|    |                          | Windows, Linux  |  |
|    |                          | Internations Datah Managament Threat                                  |  |
|    |                          | Integrations - Patch Management, Threat Intelligence, SIEM, Endpoint  |  |
|    |                          | Management  |  |
|    | MULTIMEDIA               | Management  |  |
|    |                          |   |  |
| 26 | - Speakers (in-built)    | Yes   |  |
| 27 | - microphone(in-built)   | Yes   |  |
| 28 | - Integrated Camera      | Yes   |  |
| 29 |                          | Headphone / microphone combo jack                                     |  |
|    | - 3. 5mm Jack            | (3.5mm)   |  |
|    | CLASSROOM                |   |  |
|    | MANAGEMENT SYSTEM        |   |  |
| 30 |                          | CMS Mandatory (even if open source)                                   |  |
|    |                          | CMS need to be pre-loaded at no                                       |  |
|    |                          | additional cost for next 3 years.                                     |  |
|    |                          | The CMS will integrate the following                                  |  |
|    |                          | features.   |  |
|    |                          | - The CMS will provided option to create                              |  |
|    |                          | three types of assessments namely, a. SUBJECTIVE, b. TRUE FALSE, & c. |  |
|    |                          | MULTIPLE CHOICE Questions.  |  |
|    |                          | - The CMS will provide facility to                                    |  |
|    |                          | integrate the type of fonts for Languages                             |  |
|    | Classroom Management     | as per the fonts suggested by MoETEST.                                |  |
|    | System on Teacher Device | - The CMS will provide option to upload                               |  |
|    | . = =                    | additional resources by the Teachers and                              |  |
|    |                          | shared to respective students.  |  |
|    |                          | - The CMS will provide analytics reports                              |  |
|    |                          | to the Teachers to track the student                                  |  |
|    |                          | learning hours, assessment related                                    |  |
|    |                          | activities.   |  |
|    |                          | - The CMS will provide feature to push                                |  |
|    |                          | schedule based assessments to the                                     |  |
|    |                          | learner's device  |  |
|    |                          | - Training need to be provided on the CMS                             |  |
|    | GREEN IT                 | CIVIO   |  |
| 31 | Energy Star Compliant    | Yes   |  |
|    | EPEAT/EU Ecolabel        | 105   |  |
| 34 | Registered               | Yes (If EPEAT, State Level)   |  |
|    | F                        |   |  |

| 33 | Other Features Proposed By<br>Supplier | Yes, Specify                            |  |
|----|--|---|--|
| 34 | Other certifications                   | BIS,UL, FCC Compliance                  |  |
|    | MISCELLANEOUS                          |   |  |
| 35 | ISO 9001:2008/ ISO                     |   |  |
|    | 9001:2015 certification                |   |  |
|    | (Non-submission of certificate         | Yes                                     |  |
|    | may entail elimination of the          |   |  |
|    | proposal)                              |   |  |
| 36 |  | Laptop Bag / Carry Case:                |  |
|    |  |   |  |
|    |  | 100% Polyester                          |  |
|    |  | Minimum of 24L capacity                 |  |
|    |  | Minimum of (2) compartments             |  |
|    |  | Ventilated back mesh padding with       |  |
|    | - Carry Case                           | padded shoulder straps                  |  |
|    |  | The padded compartment should fit the   |  |
|    |  | proposed Laptop                         |  |
|    |  | Adjustable shoulders                    |  |
|    |  | Laptop compartment has velcro closure   |  |
|    |  | Name Tag/Holder to be stitched on the   |  |
|    |  | Laptop Bag                              |  |
| 37 | - Dimensions (W/L/H) (in               | Specify                                 |  |
|    | cm)                                    | Specify                                 |  |
| 38 | - Weight (in Kg)                       | Specify                                 |  |
| 39 | - Electrical connections               | British BS 1363                         |  |
| 40 |  | 1. The Project coloured Logo/           |  |
|    |  | Information to be pasted on the Laptop. |  |
|    | - Project Logo                         | 2. A non-scratchable coloured Logo/     |  |
|    |  | Information to be printed on the Laptop |  |
|    |  | Bag.                                    |  |

#### **Annexure II**

### **Equipment Pre-Dispatch Inspection Format**

All Test criteria need to be assessed with respect to compliance and the specification submitted by bidder in the proposal. Pre Dispatch Inspection will not pass any item which even if meets the compliance but deviates from the specification submitted by the bidder during proposal submission.

With aforesaid clause, test criteria will imply – During pre-dispatch inspection, the equipment under test must satisfy both the following conditions

- 1. Actual result should comply with test criteria
- 2. Actual result should match with the specification submitted by the bidder as part of the proposal submission

#### **Projector Inspection Form**

| S.No | Technical Specification | n Required                | Test<br>Criteria<br>(Bidder's<br>Proposed<br>Specs) | Test<br>Outcome<br>(Pass/Fail) |
|------|-------------------------|---------------------------|---|--------------------------------|
| 1    | Make & Model            |                           |   |                                |
| 2    | Display type            | Short-throw DLP or better |   |                                |
| 3    | Brightness (ANSI        | Minimum 3600 ANSI         |   |                                |
| 4    | Native resolution       | Minimum 1280 x800WXGA     |   |                                |
| 5    | Contrast Ratio          | 22000:1                   |   |                                |

| 6  |  |   | 1 |
|----|--|---|---|
| 6  | Wireless connectivity                  | The projector should be able to connect to a tablet/ Laptop through an integrated / External WiFi module with the following minimum configuration/specifications: CPU - Min 1.2 GHz DRAM - Min 512MB NAND - Min 256MB Power - DC 5V/1.5A Supporting OS - a. Windows OS 7 and later with Miracast support b. Mac OS X 10.2 and above with Mirror Screen support c. Android 9 above with Mirror Screen support Mirror Screen - Screen mirroring from mobile devices with Mirror Screen supported OS Frequency Band - 2.4G/5G supported Video Support - Max. 4K@30Hz video decode Output Resolution supported - 1280x720@60Hz/50Hz, 1920x1080@60Hz/50Hz, |   |
|    |  | 4096x2160@30hz & 3840x2160@30Hz   |   |
| 7  | Wired connectivity                     | Must include standard cabling and accessories for set up  |   |
| 8  | Resolution<br>Supported                | VGA (640 x 480) to WUXGA (1920 x 1200)  |   |
| 9  | Selectable Aspect                      | 16:10;16:9;4:3;Auto;Real  |   |
| 10 | Display Color                          | 1.07 Billion or better  |   |
| 11 | Lamp type (metal halide, etc.)         |   |   |
| 12 | Lamp power (in watts)                  |   |   |
| 13 | Lamp user replaceable (Yes/No)         |   |   |
| 14 | Throw Ratio                            | 0.49 or better  |   |
| 15 | Screen Coverage                        |   |   |
| 16 | Remote Control                         |   |   |
| 17 | Computer/Laptop/Table t Compatibility  |   |   |
| 18 | Video Compatibility (NTSC, PAL, SECAM) |   |   |

| 19 | 3D Compatibility  | Frame Sequential; Frame Packing; Side by Side; Top Bottom   |  |  |
|----|---|---|--|--|
| 20 | Stereo Sound System   |   |  |  |
| 21 | HDMI  | Min (x2),HDMI-1 (1.4a/HDCP1.4)  |  |  |
| 22 | Audio in/out (3.5mm   | 2   |  |  |
| 23 | USB Type A and Type   | 1 each  |  |  |
| 24 | Speaker   | Should have inbuilt speaker of minimum 10 W x 1 RMS   |  |  |
| 25 | Wall Mounted and relevant standard accessories (Extensible Rod and other fixtures for ceiling mounting) | The base and arm have to be robust to avoid the projector bending. There should be the provision of tilting of the projector and cutout for cable management.  The Wall mount should have the minimum following specifications:  Length expandable: 2.5Ft to 4.5Ft  Max. Load Capacity: 10Kgs Outer & Inner Tube: Minimum of 18 Guage CR Tube Sheet metal: Minimum of 16 Guage CR Sheet Product Weight: Minimum of 2.5Kgs |  |  |
| 26 | Dimensions (L*W*H)  |   |  |  |
| 27 | Weight  |   |  |  |
| 28 | Power Supply  | Input voltage – 230 V +/-<br>6%. Single power for<br>complete projector and   |  |  |
| 29 | HDMI Cable  | HDMI Cable with the following minimum specifications:  Length: Minimum 7.5 Mtrs Support: Minimum 1080P - 4K @ 30Hz Bandwidth: Minimum 10.2 Gb/s   |  |  |
| 30 | Electrical Connections and Accessories  | British BS 1363 compliant -<br>with Power Cable of<br>Minimum of 3Mtrs in Length  |  |  |

| 31 | Projector lens |   |  |  |
|----|----------------|---|--|--|
| 32 | Remote support | Wall support for remote to be fixed   |  |  |
| 33 | Project Logo   | 1. The Project LOGO/Information DOME Stickers should be pasted on the Projector.  2. The Project LOGO/Information along with the Projector Asset details should be available as an "Asset Information Board" and should be affixed in the classroom during installation.  3. A Non-scratchable Project LOGO/Information to be printed on the Remote Holder (Wall support for remote). |  |  |
| 34 | Other Features |   |  |  |

## **Learner Device Inspection Form**

|   | Technical Specification Required |                                | Test                    | Actual | Test        |
|---|----------------------------------|--------------------------------|-------------------------|--------|-------------|
|   |                                  |                                | Criteria(Bidder's       | Result | Outcome     |
|   |                                  |                                | <b>Proposed Specs</b> ) |        | (Pass/Fail) |
| 1 |                                  | The proposed Tablet model      |                         |        |             |
|   | Product End of Life              | End of Life should not be      |                         |        |             |
|   |                                  | less than 2 year from the date |                         |        |             |
|   |                                  | of submission of the bid.      |                         |        |             |
| 2 | Vendors / OEMs should            | Supported documents for the    |                         |        |             |
|   | be in TOP 5 list of the          | Gartner/IDC for last (5)       |                         |        |             |
|   | Gartner/IDC Report for           | Quarters to be submitted.      |                         |        |             |
|   | the last 5 Quarters              |                                |                         |        |             |
| 3 | Make & Model                     |                                |                         |        |             |
| 4 | Country of Manufacture           |                                |                         |        |             |

| 5  | Processor                         | Specify   |  |
|----|-----------------------------------|---|--|
| 6  | Processor Core                    | At least 8  |  |
| 7  | Processor Speed                   | Minimum 2.0GHz or better                                    |  |
| 8  | RAM capacity                      | Min 3GB or more   |  |
| 9  | Mass Storage Capacity (Internal)  | Min 32 GB of internal storage or more                       |  |
| 10 | Micro SD card slot                | The tablet should have Micro SD card slot                   |  |
| 11 | Blank Micro SD card               | Minimum 64 GB or more                                       |  |
| 12 | Bluetooth                         | Version 5.0 or above  |  |
| 13 | WiFi                              | Need to be compliant with Wi-Fi 802.11 a/b/g/n/ac standards |  |
| 14 | Support Dual Band                 | Should support dual band 2.4 GHz and 5 GHz                  |  |
| 15 | Security                          | Ability to be secured with at least WPA/WPA2                |  |
| 16 | Display Technology                | Display technology should be IPS/PLS LCD or better          |  |
| 17 | Screen size                       | 10 inches to 12 inches                                      |  |
| 18 | Screen to body ratio              | 80% or better   |  |
| 19 | Resolution                        | Minimum 1920x 1200  |  |
| 20 | Multi-touch based input on screen | Should have multi-touch based input screen                  |  |
|    | Input Device                      |   |  |
| 21 | Ports                             | At least 1 USB Type-C 2.0                                   |  |
|    |                                   | Please Specify other ports                                  |  |
| 22 | Touchpad                          | Specify   |  |
| 23 | Battery Capacity (mAh)            | Should have minimum 7000 mAh or better                      |  |
| 24 | Battery Autonomy (in hours)       | Should have minimum 12 hours                                |  |
| 25 | Per 100 % charge                  | Should have minimum 12 hours                                |  |
| 26 | Video Streaming at 100 % charge   | Should be able to operate for minimum 3 hours               |  |
| 27 | Web Browsing at 100 % charge      | Should be able to operate for minimum 5 hours               |  |
| 28 | e-book reading at 100 % charge    | Should be able to operate for minimum 6 hours               |  |
| 29 | Built in Speakers                 | Tablet must have dual built in speakers                     |  |
| 30 | Built-in Microphone               | Tablet must have built in microphone                        |  |
| 31 | Integrated Camera                 | Minimum Front Camera - 5.0MP &                              |  |

|     |                        | Minimum Rear Camera -                                  |  |  |
|-----|------------------------|--|--|--|
|     |                        | 8.0MP with Flash                                       |  |  |
| 32  | Headsets (not ear plug | Stereo for both right and left                         |  |  |
|     | type)                  | channels   |  |  |
|     |                        | (not Monaural)   |  |  |
|     |                        | Microphone input not                                   |  |  |
|     |                        | needed   |  |  |
|     |                        | Wired with standard Braided                            |  |  |
|     |                        | cable of 60 cm   |  |  |
|     |                        | No volume control needed                               |  |  |
|     |                        | 3.5 mm L-Shape jack entry                              |  |  |
|     |                        | for headset  |  |  |
|     |                        | Adjustable headband for                                |  |  |
|     |                        | students   |  |  |
|     |                        | Spongy ear-pots, not on-                               |  |  |
|     |                        | ear model  |  |  |
|     |                        | Single piece plastic housing,                          |  |  |
|     |                        | use of metal assembles is not                          |  |  |
|     |                        | recommended  |  |  |
|     |                        | Simple and classic                                     |  |  |
|     |                        | headphone model Branding                               |  |  |
|     |                        | Project information to be                              |  |  |
| 22  | T 11 . 1 . 1           | printed on the Headset                                 |  |  |
| 33  | Tablet keyboard        | The keyboard should not                                |  |  |
|     |                        | require additional charging                            |  |  |
| 34  | Tablet Charging        | It is mandatory to have the                            |  |  |
|     |                        | tablet along with keyboard                             |  |  |
|     |                        | can be placed together in                              |  |  |
| 2.5 | C 1 N 1                | rack charger for charging                              |  |  |
| 35  | Serial Number          | The serial number should be                            |  |  |
|     |                        | on the Tablet should be                                |  |  |
|     |                        | provided by the OEM on the Tablet device & also should |  |  |
|     |                        | visible in the OS settings.                            |  |  |
| 36  | Project Logo           | TABLET:  |  |  |
| 30  | 110Jeet Logo           | 1. Non-Scratchable Project                             |  |  |
|     |                        | LOGO/Information on the                                |  |  |
|     |                        | back-side of the Tablet.                               |  |  |
|     |                        | 2.Project  |  |  |
|     |                        | LOGO/Information on the                                |  |  |
|     |                        | Boot Screen on starting of                             |  |  |
|     |                        | the Tablet.  |  |  |
|     |                        |  |  |  |
|     |                        | PROTECTIVE CASE:                                       |  |  |
|     |                        | 1.ProjectLOGO/Information                              |  |  |
|     |                        | should be embossed on one                              |  |  |
|     |                        | side of the Protective Case.                           |  |  |
|     |                        | 2.ProjectLOGO/Information                              |  |  |
|     |                        | should be printed on other                             |  |  |

|    | T                      |   | I |   | 1 |
|----|------------------------|---|---|---|---|
|    |                        | side of the Protective Case.                  |   |   |   |
|    |                        | KEYBOARD:                                     |   |   |   |
|    |                        | 1. Non-scratchable                            |   |   |   |
|    |                        | LOGO/Information printing                     |   |   |   |
|    |                        |   |   |   |   |
|    |                        | on the Keyboard                               |   |   |   |
|    |                        | HEADSET:                                      |   |   |   |
|    |                        | 1. Non-scratchable Project                    |   |   |   |
|    |                        | LOGO/Information should                       |   |   |   |
|    |                        | be printed on the Ear pots.                   |   |   |   |
| 37 | Operating System       | Latest compatible version of                  |   |   |   |
|    |                        | any of the following:                         |   |   |   |
|    |                        | Android/iOS/Windows                           |   |   |   |
|    |                        | In case of Windows,                           |   |   |   |
|    |                        | MOETEST will provide                          |   |   |   |
|    |                        | licenses. (Please refer to                    |   |   |   |
|    |                        | Shape the Future letter of                    |   |   |   |
|    |                        | eligibility for MOETEST)                      |   |   |   |
| 38 | Documentation language | English                                       |   |   |   |
|    | for softwares and user |   |   |   |   |
|    | manuals                |   |   |   |   |
|    |                        |   |   |   |   |
| 39 | Antivirus with         | The proposed licenses for                     |   |   |   |
|    | Antimalware features   | antivirus with antimalware                    |   |   |   |
|    |                        | features should be valid for 3                |   |   |   |
|    |                        | years from the date of                        |   |   |   |
|    |                        | commissioning. This should                    |   |   |   |
|    |                        | be supported by                               |   |   |   |
|    |                        | documentary evidence.                         |   |   |   |
| 40 | Browser                | Must have free version of                     |   |   |   |
|    |                        | browser pre-installed in the                  |   |   |   |
|    | 2-                     | tablet  |   |   |   |
| 41 | Classroom Management   | CMS Mandatory (even if                        |   |   |   |
|    | Software               | open source)                                  |   |   |   |
|    |                        | CMS need to be pre-loaded                     |   |   |   |
|    |                        | at no additional cost for the                 |   |   |   |
|    |                        | next 3 years.                                 |   |   |   |
|    |                        | The CMS will integrate the                    |   |   |   |
|    |                        | following features.                           |   |   |   |
|    |                        | - The CMS will provide the                    |   |   |   |
|    |                        | option to create three types                  |   |   |   |
|    |                        | of assessments namely, a. SUBJECTIVE, b. TRUE |   |   |   |
|    |                        | FALSE, & c. MULTIPLE                          |   |   |   |
|    |                        | CHOICE Questions.                             |   |   |   |
|    |                        | - The CMS will provide the                    |   |   |   |
|    |                        | facility to integrate the type                |   |   |   |
|    |                        | of fonts for Languages as per                 |   |   |   |
|    |                        | the fonts suggested by                        |   |   |   |
|    |                        | ine folio suggested by                        | l | L |   |

|          |                        | MoETEST.                      |  |  |
|----------|------------------------|-------------------------------|--|--|
|          |                        | - The CMS will provide the    |  |  |
|          |                        | option to upload additional   |  |  |
|          |                        | resources by the Teachers     |  |  |
|          |                        | and share them with           |  |  |
|          |                        | respective students.          |  |  |
|          |                        | - The CMS will provide        |  |  |
|          |                        | analytics reports to the      |  |  |
|          |                        | Teachers to track the student |  |  |
|          |                        | learning hours, and           |  |  |
|          |                        | assessment-related            |  |  |
|          |                        | activities.                   |  |  |
|          |                        |                               |  |  |
|          |                        | - The CMS will provide a      |  |  |
|          |                        | feature to push schedule-     |  |  |
|          |                        | based assessments to the      |  |  |
|          |                        | learner's device              |  |  |
| 42       | Preloaded Applications | The following indicative      |  |  |
|          |                        | applications to be pre-loaded |  |  |
|          |                        | 1. PDF Reader                 |  |  |
|          |                        | 2. ePub Reader                |  |  |
|          |                        | 3. basic drawing tool         |  |  |
|          |                        | 4. Scratch Junior             |  |  |
|          |                        | 5. Scratch 3.0                |  |  |
|          |                        | 6. Open Office                |  |  |
|          |                        | 7. File Explorer              |  |  |
|          |                        | 8. Windows movie maker        |  |  |
|          |                        |                               |  |  |
|          |                        | if OS is Windows or similar   |  |  |
|          |                        | alternatives on other OS      |  |  |
|          |                        | All the above software need   |  |  |
|          |                        | to be free, for which no      |  |  |
|          |                        | further license will be       |  |  |
| <u> </u> |                        | required                      |  |  |
| 43       | Learning Content       | Each tablet need to be pre-   |  |  |
|          |                        | loaded with learning          |  |  |
|          |                        | content. Subsequent updates   |  |  |
|          |                        | should be offline or online.  |  |  |
|          |                        | Contents will be made         |  |  |
|          |                        | available for upload from a   |  |  |
|          |                        | centralized site.             |  |  |
|          |                        | The learning content will be  |  |  |
|          |                        | provided by MOETEST.          |  |  |
| 44       | Content Update         | Offline or Centralised cloud- |  |  |
|          | _                      | based automatic updates       |  |  |
| 45       | Drop Resistance        | The Tablet excluding the      |  |  |
|          |                        | cover should be drop          |  |  |
|          |                        | resistant (Documentary        |  |  |
|          |                        | evidence to be submitted      |  |  |
|          |                        | evidence to be submitted      |  |  |
|          |                        | from the Bidder/ OEM of the   |  |  |

|    |                        |   | · |  |
|----|------------------------|---|---|--|
|    |                        | product as per the certified abstract of the technical manual of OEM/ 3rd party testing agency)   |   |  |
| 46 | Water Resistance       | The Tablet Computer should<br>be water resistant<br>(Documentary evidence to<br>be submitted from the<br>Bidder/ OEM of the product<br>as per the certified abstract<br>of the technical manual of<br>OEM/ 3rd party testing<br>agency) |   |  |
| 47 | Tablet Stand           | The tablet should be provided with the ability to be positioned Horizontally on a table. This can be through an external or internal component.   |   |  |
| 48 | Shock Proof Protection | The device should be ruggedized as integral component or as separate external component (cover).  The protective cover should be custom made for the proposed Tablet.   |   |  |
|    |                        | Project Logo: 1. Logo/information should be embossed on one side of the Protective Case. 2. Logo/information should   |   |  |
|    |                        | be printed on other side of the Protective Case.  |   |  |
| 49 | Device Charging        | Charging of device should be feasible with any cover on the Charging Cart/Cabinet.  |   |  |
| 50 | Screen Protection      | There should be tamper proof glass on tablet screen with the following minimum  |   |  |

|    |                         | specifications:           |  |  |
|----|-------------------------|---------------------------|--|--|
|    |                         | Thickness: minimum of     |  |  |
|    |                         | 0.3mm                     |  |  |
|    |                         | Hardness: minimum of 9H   |  |  |
| 51 | ISO 9001 :2008          | The tablet should comply  |  |  |
|    | certification           | with ISO 9001:2008        |  |  |
|    |                         | certification.            |  |  |
| 52 | Electrical Standards    | Should be compliant with  |  |  |
|    |                         | British BS 1363           |  |  |
| 53 | EPEAT Registration      |                           |  |  |
| 54 | En anaxy Stan nation a  |                           |  |  |
| 34 | Energy Star rating      |                           |  |  |
| 55 | EU Ecolabel compliance  | State whether product is  |  |  |
|    |                         | compliant with EU         |  |  |
|    |                         | Ecolabel. If yes, specify |  |  |
|    |                         | type.                     |  |  |
| 56 | Other certifications    | FCC, CE/EU, RoHS, UL,     |  |  |
|    |                         | BIS, TÜV Rheinland, Low   |  |  |
|    |                         | Blue Light                |  |  |
| 57 | Other features proposed |                           |  |  |
|    | by supplier             |                           |  |  |
|    |                         |                           |  |  |

## **Tablet Charging Cart Inspection Form**

|   | Technical Specification Required                         |   | Test<br>Criteria(Bidder's<br>Proposed Specs) | Actual<br>Result | Test<br>Outcome<br>(Pass/Fail) |
|---|--|---|--|------------------|--------------------------------|
| 1 | Туре   | Rack Type Charging<br>Station suitable for<br>charging multiple<br>no. of devices<br>simultaneously |  |                  |                                |
| 2 | Make & Model   |   |  |                  |                                |
| 3 | Suitable for charging of<br>Mobile Devices               | Tablet  |  |                  |                                |
| 4 | Maximum size of the device that can be accommodated (cm) | 26  |  |                  |                                |

| 5  | Number of devices which can be accommodated in the station for charging | 20                              |
|----|---|---------------------------------|
| 6  | Number of Charging Socket<br>Outlet                                     | 20                              |
| 7  | Type of Socket outlet   | Standard                        |
| 8  | Rating of the Socket Outlet used  | 5 Ampere / 6<br>Ampere          |
| 9  | Number of Pins in the Socket<br>Outlet                                  | 5                               |
| 10 | Conformity of the Socket Outlet to IS/BS                                | IS :1293 / 2005 for<br>Standard |
| 11 | Socket Outlet -ISI Marked (For Standard)                                | NA for Universal                |
| 12 | Socket Outlet -CE Marking (For Universal)                               | No                              |
| 13 | Number of Input Plug used to connect with the power                     | 1                               |
| 14 | Rating of the Input Plug used   | 15 Ampere / 16<br>Ampere        |
| 15 | Number of the Pins in the Input Plug                                    | 3                               |
| 16 | Conformity of the Input Plug to IS/BS                                   | IS :1293 / 2005 for<br>Standard |
| 17 | Input Plug -ISI Marked (For Standard)                                   | NA for Universal                |
| 18 | Input Plug -CE Marking (For Universal)                                  | No                              |
| 19 | Total Number of Switches used   | 3                               |
| 20 | Rating of the Switch used   | 5 Ampere / 6<br>Ampere          |

| 21 | Conformity of the switches to IS/BS   | IS: 3854 / 1997  |
|----|---|--|
| 22 | Switch -ISI Marked  | Yes  |
| 23 | Length of Power Cord<br>provided (Meters)   | 1.5  |
| 24 | Conformity of Power Cord to IS/BS   | BS : 1363  |
| 25 | Power Cord -ISI Marked  | NA NA  |
| 26 | Power Cord -CE Marked   | Yes  |
| 27 | Timer to pre define the Auto<br>On-Off of tablets by the user                                 | Yes  |
| 28 | Surge Protection through<br>Electrical Circuit (MCB) to<br>protect the device                 | Yes  |
| 29 | Electrical Circuit (MCB) -ISI<br>Marked to IS/IEC 60898-<br>1:2002                            | Yes  |
| 30 | Over Voltage Current Protection   | Operating Voltage:  165-260VAC, load Current: upto 28A, Triping time: >20ms, Surge supression: upto 4KV, Voltage Containment: 440VAC |
| 31 | Independent Control Switch for each Compartment   | Yes  |
| 32 | Ventilation provided in the side walls of the enclosure                                       | Yes  |
| 33 | Number of Cooling Fans<br>used to exhaust the heat<br>generated during charging of<br>devices | 2  |

| 34 | Fans Operation  | Timer should control fans separately                           |
|----|---|--|
| 35 | Earthing Provided   | Yes  |
| 36 | Power Supply  | 230 V,AC +/-6%,<br>50 Hz                                       |
| 37 | Power On LED Indicator  | No   |
| 38 | Flexible copper cables are used for wiring and connections are conforming to IS/BS (All cables must comply to BS or equivalent standards) | Yes  |
| 39 | <b>Enclosure Details</b>  |  |
| 40 | Enclosure Material  | Wooden Polymer<br>(Heavy duty)                                 |
| 41 | Thickness of the Enclosure (mm)   | 12   |
| 42 | Number of Compartments in the Rack  | 2  |
| 43 | Maximum Width of<br>Charging compartment (cm)   | 65   |
| 44 | Number of devices can be accommodated in one compartment  | 10   |
| 45 | Device Loading Facility   | Front Loading  |
| 46 | Door Lock Availability in the Charging Station  | Front and Back both  With internal and external lock mechanism |
| 47 | Number of Partitions/docks available in each compartment  | 10   |

| 48 | Smooth surface is provided on the base of the Rack for easy travelling of the Device into docks / partitions during charging | Castor wheels with minimum specifications:  Total: 4 Wheels  Minimum 2 Wheels with Brakes (Front Wheels)  Minimum Diameter of 50mm  Ruggedly constructed with double ball bearing to take load.  Each Wheels should take a minimum load of 35Kgs |  |  |
|----|--|--|--|--|
| 49 | Wheels / Casters to be used<br>for easy movement of<br>Charging Rack   | Yes (Heavy duty)   |  |  |
| 50 | Water Proof Enclosure  | Yes  |  |  |
| 51 | Vermin Proof Enclosure in case of Wooden or Wooden Polymer Composite   | Yes  |  |  |
|    | Miscellaneous  |  |  |  |
| 52 | Overall Dimensions (L x W xH) (cm x cm x cm)   | 610X570X800  |  |  |
| 53 | Weight (Kilograms)   | 65 (maximum)   |  |  |
| 54 | Minimum Operating Temperature (Degree C)   | -20  |  |  |
| 55 | Maximum Operating Temperature (Degree C)   | 49   |  |  |
| 56 | Minimum Operating Humidity (%RH)   | 33   |  |  |

| 57 | Maximum Operating Humidity (%RH)                                      | 85   |  |  |
|----|---|--|--|--|
| 58 | RoHS Compliance   | Specify  |  |  |
| 59 | Other Certifications available  | Specify  |  |  |
| 60 | Protective Switchgears shall comply to EU Standard or its equivalent. |  |  |  |
| 61 | Cable lugs/terminals and connectors should be of appropriate rating.  |  |  |  |
| 62 | Danger notice sign should be fixed on the Cart.                       |  |  |  |
| 63 | Project Logo  | 1. The Project LOGO/Information should be printed on the Electrical Panel of the Rack Charger.  2. The Project LOGO/Information DOME Stickers should be pasted on the Front Doors of the Rack Charger.  3. Electrical Circuit diagram sticker should be available on the inner side of the back door.  4. Relevant Electrical & Usage precaution stickers should be available on the Rack Charger. |  |  |

## **Teacher Device Inspection Form**

| S.No     | Technical   | Specification Required  | Test<br>Criteria(Bidder's<br>Proposed Specs) | Actual<br>Result | Test<br>Outcome<br>(Pass/Fail) |
|----------|---|---|--|------------------|--------------------------------|
| 1        | Make & Model  | Yes and specify   |  |                  |                                |
|          | Country of<br>Manufacture   | Yes and specify   |  |                  |                                |
|          | Vendors / OEMs<br>should be in TOP 5 list<br>of the Gartner/IDC<br>Report for the last 5<br>Quarters<br>PROCESSOR             | Supported documents for the Gartner/IDC last (5) Quarters to be submitted.      |  |                  |                                |
| 4        | Processor   | At least Intel Core i5 (12th<br>Generation) (minimum base<br>frequency 1.3 GHz) |  |                  |                                |
|          | Processor Cache   | Minimum 12 MB Cache   |  |                  |                                |
|          | RAM Capacity  | Minimum of 8 GB RAM   |  |                  |                                |
| 7        | RAM expandable to   | Minimum 1-DIMM slot to support upto 16 GB                                       |  |                  |                                |
| 8        | Processor Core  | Minimum 10  |  |                  |                                |
|          | COMMUNICATIONS  |   |  |                  |                                |
| 9        | - USB port  | Minimum 3 (At least 1 USB 3.0 port)   |  |                  |                                |
| 10       | - Ethernet<br>port(10/100/1000 Base<br>T)   | Min 1   |  |                  |                                |
|          | - WiFi certified wireless LAN card for connectivity to WiFi certified access point (IEEE 802.11n with backward compatibility) | Yes   |  |                  |                                |
| 12       | HDMI Port   | Yes   |  |                  |                                |
|          | INPUT DEVICES   |   |  |                  |                                |
|          | Pointing Device   | Yes, Touchpad   |  |                  |                                |
|          | Mouse   | Yes   |  |                  |                                |
|          | MASS STORAGE  | M. 254 CD CCD + 1 FD UDD  |  |                  |                                |
|          | Internal Hard Disk  | Min 256 GB SSD + 1 TB HDD   |  |                  |                                |
| 16       | DVD Writer  | Internal/External   |  |                  |                                |
|          | DISPLAY   | Calaria   |  |                  |                                |
| 17<br>18 | - Display - Technology (Dual Scan, TFT,)  | Colour<br>LED or better   |  |                  |                                |
| 19       | - Screen size (inch)  | Min 14"   |  |                  |                                |

| 20 | - Battery Autonomy<br>(in hours)  | Specify   |  |  |
|----|---|---|--|--|
|    | STANDARD<br>SOFTWARE  |   |  |  |
| 21 |   | Licenses for Windows 10 Education will be provided.   |  |  |
| 22 | The Ministry will provide the successful  | Windows Media Kit or Recovery   |  |  |
|    | Bidder with their<br>volume License Key<br>to install Windows 10<br>Education               | CD or any other acceptable alternative to be provided.  |  |  |
|    |   | Appropriate mechanism to certify genuineness of software to be provided.  |  |  |
| 23 |   | Hardware Based TPM 2.0  |  |  |
|    | Microsoft Office 2019<br>(or Latest) (including<br>Word, Excel,<br>Powerpoint,<br>Outlook,) | Yes, Preinstalled. Licenses will be provided.   |  |  |
|    | ANTIVIRUS AND<br>ANTISPYWARE  |   |  |  |
| 25 | Antivirus Software  | SOPHOS Antivirus & Antispyware pre-installed with THREE (3) years maintenance and upgrade (Virus definitions and antivirus software)                |  |  |
|    |   | Threat Protection - Anti-Malware,<br>Web Security, URL Filtering, HIPS,<br>Firewall, Active Directory Defence,<br>PUA Blocking, Application Control |  |  |
|    |   | Advanced Threat Protection -<br>Behaviour Analytics, Root Cause<br>Analysis   |  |  |
|    |   | Endpoint Controls - Application<br>Control, Device & Port Control,<br>Application Vulnerability<br>Management, Data Loss Prevention                 |  |  |
|    |   | Device Configuration Management –<br>Windows, Linux   |  |  |
|    |   | Integrations - Patch Management,<br>Threat Intelligence, SIEM, Endpoint<br>Management   |  |  |
|    | MULTIMEDIA  |   |  |  |

| 26 | - Speakers (in-built)                               | Yes  |   |     |
|----|---|--|---|-----|
| 27 | - microphone(in-<br>built)                          | Yes  |   |     |
| 28 | - Integrated Camera                                 | Yes  |   |     |
| 29 |   | Headphone / microphone combo   |   |     |
|    | - 3. 5mm Jack                                       | jack (3.5mm)   |   |     |
|    | CLASSROOM<br>MANAGEMENT<br>SYSTEM                   |  |   |     |
| 30 | Classroom<br>Management System<br>on Teacher Device | CMS Mandatory (even if open source) CMS need to be pre-loaded at no additional cost for next 3 years. The CMS will integrate the following features The CMS will provided option to create three types of assessments namely, a. SUBJECTIVE, b. TRUE FALSE, & c. MULTIPLE CHOICE Questions The CMS will provide facility to integrate the type of fonts for Languages as per the fonts suggested by MoETEST The CMS will provide option to upload additional resources by the Teachers and shared to respective students The CMS will provide analytics reports to the Teachers to track the student learning hours, assessment related activities The CMS will provide feature to push schedule based assessments to the learner's device - Training need to be provided on the CMS |   |     |
|    | GREEN IT  |  |   |     |
| 31 | Energy Star Complian                                | tYes   |   |     |
| 32 | EPEAT/EU Ecolabel<br>Registered                     | Yes (If EPEAT, State Level)  |   |     |
| 33 | Other Features Proposed By Supplier                 | Yes, Specify   |   |     |
| 34 | Other certifications                                | BIS,UL, FCC Compliance   |   |     |
|    | MISCELLANEOUS                                       | •  |   |     |
| 35 | ISO 9001:2008/ ISO 9001:2015 certification          | Yes  |   |     |
|    | Commeation  |  | j | l . |

|    | (Non-submission of certificate may entail elimination of the proposal) |   |  |  |
|----|--|---|--|--|
| 36 | proposary  | Laptop Bag / Carry Case:  |  |  |
|    | - Carry Case   | 100% Polyester Minimum of 24L capacity Minimum of (2) compartments Ventilated back mesh padding with padded shoulder straps The padded compartment should fit the proposed Laptop Adjustable shoulders Laptop compartment has velcro closure Name Tag/Holder to be stitched on the Laptop Bag |  |  |
| 37 | - Dimensions<br>(W/L/H) (in cm)  | Specify   |  |  |
| 38 | - Weight (in Kg)   | Specify   |  |  |
| 39 | - Electrical connections   | British BS 1363   |  |  |
| 40 | - Project Logo   | <ol> <li>The Projector coloured Logo/<br/>Information to be pasted on the<br/>Laptop.</li> <li>A non-scratchable coloured Logo/<br/>Information to be printed on the</li> </ol>   |  |  |
|    |  | Information to be printed on the Laptop Bag.  |  |  |